

HP LaserJet

Managed E60065 series

This HP LaserJet with JetIntelligence combines performance, energy efficiency, and security.1

This HP LaserJet Printer with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them—all while protecting your network from attacks with the industry's deepest security.1



HP LaserJet Managed E60065dn



HP LaserJet Managed E60065x



The world's most secure printing

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- · Help prevent potential attacks and take immediate action with instant notification of security issues.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency. 2
- Give workgroups what they need to succeed. Easily choose and deploy over 175 HP and third-party solutions.

High-speed performance meets energy efficiency

- Speed through tasks and save paper. Print two-sided documents nearly as fast as single-
- This printer wakes up fast and prints your first page faster—in as quickly as 7.8 seconds.⁴
- This printer uses exceptionally low amounts of energy thanks to its innovative design and toner technology. 5
- Paper handling options include a wheeled stand and 550-sheet input feeder for paper sizes A6 to legal.

More. Pages, Performance, and Protection.

- Produce sharp text, bold blacks, and crisp graphics with precision black toner.
- Original HP Toner cartridges with JetIntelligence deliver more pages per cartridge than predecessors. 6
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology
- Spend less time replacing toner, and more on business. Choose high-yield toner cartridges. 7



¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims

2 HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin

3 Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printersclaims. Exact speed varies depending on the system configuration, software application,

driver, and document complexity.

Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep.

⁵ Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar gov versus the top three leading competitors as of 8/2015. Actual results may vary. For

details see http://www.hp.com/got/Liclaims

6 More pages versus predecessor cartridges claim based on page-yield comparison of HP 37X High Yield Black Original LaserJet Toner Cartridges with HP 87X High Yield Black Original LaserJet Toner Cartridges. For more information, see http://www.hp.com/go/learnaboutsupplies

HP 37X High Yield Black Original LaserJet Toner Cartridges not included; please purchase separately



Product walkaround

- 1. Hardware Integration Pocket ³
- 2. 4.3-inch (10.9 cm) color touchscreen control panel
- 3. Easy-access USB port 1
- 4. 100-sheet multipurpose tray 1
- 5. Front door access to toner cartridges
- 6. 550-sheet input tray 2
- 7. 550-sheet input tray 3
- 8. 500-sheet output bin
- 9. Automatic two-sided printing
- 10. Host USB port
- 11. Gigabit Ethernet network port
- 12. Hi-Speed USB 2.0 printing port
- 13. Slot for cable-type security lock



Series at a glance





Model	HP LaserJet Managed E60065dn	HP LaserJet Managed E60065x
Part number	M0P35A	M0P36A
Print speeds (letter/A4)	Up to 65/61 pages per minute (ppm)	Up to 65/61 ppm
Control panel	2.7-inch (6.9 cm) LCD with keypad	4.3-inch (10.9 cm) touchscreen
Hardware Integration Pocket	V	
100-sheet multipurpose tray 1, 550-sheet tray 2		
550-sheet paper feeder	Optional (up to four)	$\sqrt{\text{(plus up to three optional)}}$
2,100-sheet paper feeder	Optional	
Envelope feeder	Optional (up to two)	
Printer stand	Optional	
5-bin stapler/stacker/mailbox with job offset	Optional	
Wireless direct,	Optional	
Wireless networking	Optional	
HP High-Performance Secure Hard Disk	Optional	



An administrator must enable the easy-access USB port before use.

An administrator must enable the easy-access USB port before use.
 Measured using ISO/IEC 24734; excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
 Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.
 Both models come standard with the 100-sheet multipurpose tray and 550-sheet tray 2. The HP LaserJet Managed E60065x model comes with one additional 550 sheet paper feeder standard, and can add up to three additional optional 550-sheet paper feeders and the optional 2,100-sheet paper feeder.
 All optional accessories support media up to letter size (A4).
 Add wireless direct by purchasing the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device needs to be connected directly to the signal of a wireless direct supported MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see hp.com/go/mobileprinting.
 Add touch-to-print capability by purchasing the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see hp.com/go/businessmobileprinting.
 Add wireless networking by purchasing the optional HP Jetdirect 2900nw Print Server. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime. predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

For carepack availability visit: hp.com/go/cpc:



Only HP Enterprise printers repair themselves from attacks in real time while offering outstanding manageability. Automatically monitor threats, detect intrusions, and validate operating software while centrally

VOVATECH

With speeds up to 65 pages per minute, 3 fast first page out, and a variety of paper-handling options, you get confidence that your employees can speed through their tasks without interruption.

Get more pages and help protect your printer using Original HP Toner cartridges with JetIntelligence.⁶

Accessories

2MU47A HP Accessibility Assistant

2NR03A HP 1 GB 90-pin DDR3 DIMM

2NR12A HP Removable Hard Drive Enclosure

3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory

B5L29A HP High-Performance Secure Hard Disk

G6W84A HP 1 GB 90-pin DDR3 DIMM

J8030A HP Jetdirect 3000w NFC/Wireless Accessory

J8031A HP Jetdirect 2900nw Print Server

J8J96A HP Staple Cartridge Refill

LOH17A HP LaserJet 550-sheet Paper Tray LOH18A HP LaserJet 2100 Sheet Paper Tray

LOH19A HP LaserJet Printer Stand

LOH20A HP LaserJet Stapler/Stacker/Mailbox

L0H21A HP LaserJet Envelope Feeder

L0H22A HP LaserJet Extension Tray Cover

X3D03A HP Universal USB Proximity Card Reader

Supplies

HP Black Managed LaserJet Toner (50,000 yield) W9004MC

Services

U9NH5E - HP 3y Nbd+DMR LJ Ent E6006x Mngd HW Supp

U9NH6E - HP 4y Nbd+DMR LJ Ent E6006x Mngd HW Supp

U9NH7E - HP 5y Nbd+DMR LJ Ent E6006x Mngd HW Supp

U9NH8E - HP3y4h9x5+DMR LJ Ent E6006x Mngd HW Supp U9NH9E - HP4y4h9x5+DMR LJ Ent E6006x Mngd HW Supp

U9NJ0E -HP5y4h9x5+DMR LJ Ent E6006x Mngd HW Supp

U9NJ1E - HP3yNbd ChnlRmtParts LJEntE6006xMngd SVC

U9NJ2E - HP4yNbd ChnlRmtParts LJEntE6006xMngd SVC

U9NJ3E - HP5yNbd ChnlRmtParts LJEntE6006xMngd SVC

U9NJ4PE - HP 1yPW Nbd+DMR LJEntE6006x Mngd HW Supp

U9NJ5PE - HP 2yPW Nbd+DMR LJEntE6006x Mngd HW Supp

U9NJ6PE - HP1yPW4h9x5+DMR LJEntE6006x Mngd HW Supp

U9NJ7PE - HP2yPW4h9x5+DMR LJEntE6006x Mngd HW Supp

U9NJ8PE - HP1yPW ChnlRmtParts LJEntE6006xMngd SVC

U9NJ9PE - HP2yPW ChnlRmtParts LJEntE6006xMngd SVC

















¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims ² HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin

³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep.
 Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov versus the top three leading competitors as of 8/2015. Actual results may vary. For

details see http://www.hp.com/go/Ljclaims

More pages versus predecessor cartridges claim based on page-yield comparison of HP 37X High Yield Black Original LaserJet Toner Cartridges with HP 87X High Yield Black Original LaserJet Toner Cartridges. For more

Information, see http://www.hp.com/go/learnaboutsupplies ⁷ HP 37X High Yield Black Original LaserJet Toner Cartridges not included; please purchase separately





HP LaserJet Managed E60065 series

Model	HP LaserJet Managed E60065dn	HP LaserJet Managed E60065x	
Product number	MOP35A	MOP36A	
Print	PIOL 33A	PIOL SON	
Print speed ⁷ , 9, 8	Letter: Up to 65 ppm Black; 2-sided: Up to 53 ppm Black; First page out: As fast as 5.3 sec Black; Print speed (Land	scane AS): In to 100 nnm Black	
Print resolution	Black (best) Up to 1200 x 1200 dig. Black (pormal) FastRes 1200; Black (fine lines) Up to 1200 x 1200 dig. Black (pormal) FastRes 1200; Black (fine lines) Up to 1200 x 1200 dig. Black (pormal) FastRes 1200; Black (fine lines) Up to 1200 x 1200 dig. Black (pormal) FastRes 1200; Black (fine lines) Up to 1200 x 1200 dig. Black (pormal) FastRes 1200; Black (fine lines) Up to 1200 x 1200 dig. Black (pormal) FastRes 1200; Black (fine lines) Up to 1200 x 1200 dig. Black (pormal) FastRes 1200; Black (fine lines) Up to 1200 x 1200 dig. Black (pormal) FastRes 1200; Black		
Print technology	black (best) by the Studies (best) by the St		
Print cartridges number	Laster, minitesolution technology, rastines 1200, 1200 A 1200 upi		
Standard print languages	1 Volcaks, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™		
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB		
Printer management / HP SureSupply	HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver/ Yes		
Connectivity			
Standard connectivity	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network; Hardware Integration Pocket		
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 100Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional).		
Mobile printing capability	HP ePrint; Apple AirPrint™; Google Cloud Print™		
Memory1 GB "Slim DIMM" G6W84A	Standard: 512 MB; Maximum: 1.5 GB, MAX memory, when 1GB Accessory DIMM is installed		
Processor speed	1.2 GHz / Storage ¹⁰ : 4 GB EMMC / Hard disk: Optional, 500 GB (with accessory B5L29A)		
Duty cycle (monthly)	Letter:Up to 420,000 pages; Recommended monthly page volume: 5000 to 40,000		
Paper handling		-	
Input	100-sheet multipurpose feeder, 550-sheet input feeder; Up to 650 sheets Standard	100-sheet multipurpose feeder, 550-sheet input feeder, 550 accessory feeder; Up to 1200 sheets Standard	
Output	Standard: 500 sheet output bin; Up to 500 sheets Standard; Transparencies: 200	, and the second	
Duplex Options	Automatic (Standard)		
Envelope feeder	Autoritatic Tytemberry Ves, 75 (politional)		
Standard paper trays	2	3	
Media types	Paper (plain, light, bond, recycled, heavy, extra heavy, cardstock, pre-printed, pre-punched, colored, rough, hea	1-	
Media weight	Feeder 1: 16 to 53 lb bond (plain), 16 to 24 lb (envelopes); feeder 2: 16 to 32 lb bond (plain)	Feeder 1: 16 to 53 lb bond (plain), 16 to 24 lb (envelopes); feeder 2, 3: 16 to 32 lb bond (plain)	
Media sizes	feeder 1: Letter, legal, statement, executive, Oficio (8.5 x 13 in), envelopes [No. 9, No. 10, Monarch(7 3/4)], 3 x 5, 4 x 6, 5 x 7, 5 x 8; feeder 2: letter, executive, legal	feeder 1: Letter, legal, statement, executive, Oficio (8.5 x 13 in), envelopes [No. 9, No. 10, Monarch(7 3/4)], 3 x 5, 4 x 6, 5 x 7, 5 x 8; feeder 2: letter, executive, legal;	
Media Sizes Custom	feeder 1: 3 x 5 to 8.5 x 14 in; feeder 2: 3.90 x 5.83 to 8.5 x 14 in	feeder 1: 3 x 5 to 8.5 x 14 in; feeder 2: 3.90 x 5.83 to 8.5 x 14 in. feeder 3: 3.90 x 5.83 to 8.5 x 14 in	
Dimensions (w x d x h)	17 x 18.3 x 15 in: Maximum: 17 x 40.9 x 17.8 in	17 x 18.3 x 19.9 in: Maximum: 17 x 43.3 x 22.9 in	
Weight	47.7 lbs	58 lbs	
What's in the box ²	HP Laser Jet Printer; HP Black Original Laser Jet Toner Cartridge (~11K yield); CD with software drivers and documentation; Documentation (Hardware Install Guide); Power cord		
Replacement cartridges ^{5, 11}	HP Black Managed Laser Jet Toner (50,000 yield) W9004MC		
Warranty features	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to hp.com/support to learn about HP award winning service and support options in your regio (wty code 4G)		
Energy efficiency compliance	ENERGY STAR® qualified		
Control panel	2.7-in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable angle) display with 24-key pad	4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Home button	
Display	2.7-in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable angle)	4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle)	
Software included	HP Connected, HP Device Experience (DXP), HP PCL 6 (XPS) Printer Driver, HP Software Installer/Uninstaller, Mac		
Fonts and typefaces	To Sinternal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andie Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional fonts solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts		
Compatible operating systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), Os macOS 10.12 Sierra, OS 10.10 Yosemite, OS X 10.11 El Capitan, ONIX, Windows 10 all 32-8 64-bit editions (excluding RT OS for Tablets), Windows (7 all 32-8 64-bit editions), Experimental Red (10.04), Experimenta		
Compatible network operating systems	Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and Server 2012/2012R2,CitrixPresentationServer4.0/4.5,CitrixXenApp5.0/[UsiFatureAck283]forWindowServer 32- and 64-bit], Citrix XenApp 6.0/6.5/7.5,[for WindowS Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenDelsktop 5.6/7.0/7.5, [for WindowS Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenDelsktop 5.6/7.0/7.5, [for WindowS Server 2008 R2 Ferminal Services, 32- and 64-bit], Citrix XenDelsktop 5.6/7.0/7.5, [for WindowS Server 2008 R2 Ferminal Services, 32- and 64-bit], Citrix XenDelsktop 5.6/7.0/7.5, [for WindowS Server 2008 R2 Ferminal Services, 32- and 64-bit], Citrix XenDelsktop 5.6/7.5/8.0/7.5/9.0/7.5, [for WindowS Server 2008 R2 Ferminal Services, WindowServer 2008 R2 Fe	3). Citrix on Windows Server 2003/2003R2, Citrix on Windows Server 2008/2008R2/2008 R2 SP1, Citrix on Windows r2008TerminalServices32-and64-bit, CitrixXenApp6.0/6.5[forWindowsServer2008R2TerminalServices, CitrixXenApp6.0/6.5[forWindowsServer2008R2TerminalServices, 64-bit], Citrix XenDesktop 5.0 ffor r2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenDesktop 7.0/7.5 [for Windows Server 2012 and 2012 R2 0,0Novel(DpenEnterpriseServer1767Linux,Novel(Server2012 and 2012 R2 0,0Novel(DpenEnterpriseServer1767Linux,Novel(Server2012 Appl.0) for Server2012 and 2012 R2 0,0Novel(DpenEnterpriseServer2012 Appl.0) for Server2012 R2 0,0Novel(DpenEnterpriseServer2012 Appl.0) for Server2012 R2 0,0Novel(DpenEnterpriseServer2012 Appl.0) for Server2012 R2 0,0Novel(DpenEnterpriseServer2008/2008 R2 SP2 0,0Novel(DpenEnterpriseServer2008/2008 R2 DpenEnterpriseServer2008/2008 R2 DpenE	
Minimum system requirements	PC:2 GB available hard disk space; OS hardware requirements see microsoft.com; Mac: 1.3 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more info		
Power ^{4 12}	Power supply type: Built in 115V or 220V Power Supply (Not dual voltage, power supply varies by part number with # Option code identifier); Power supply required: 100V - 127V nominal @ +/-10% (min 90V, max 140V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ -/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ -/-10% (min 190V, max 140V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ -/-10% (min 190V, max 140V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ -/-10% (min 190V, max 140V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ -/-10% (min 190V, max 140V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ -/-10% (min 190V, max 140V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ -/-10% (min 190V, max 140V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ -/-10% (min 190V, max 140V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ -/-10% (min 190V, max 140V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ -/-10% (min 190V, max 140V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ -/-10% (min 190V, max 140V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ -/-10% (min 190V, max 140V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ -/-10% (min 190V, max 140V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 24 A;		
Acoustics	Acoustic power emissions: 6.9 B(A)	Acoustic power emissions: 6.9 B(A)	
Operating environment	Operating temperature range: 15 to 27° C; Recommended operating temperature: 59 to 80.6°F; Storage temperature range: -4 to 104° F; Operating humidity range: 30 to 70% RH; Recommended operating humidity range: 10 to 90.00 (Fig. 1) and 90.00 (Fig. 1) and 90.00 (Fig. 1) are recommended operating humidity range: 10 to 90.00 (Fig. 2) are recommended operating humidity range: 10 to 90.00 (Fig. 2) are recommended operating humidity range: 10 to 90.00 (Fig. 2) are recommended operating humidity range: 10 to 90.00 (Fig. 2) are recommended operating humidity range: 10 to 90.00 (Fig. 2) are recommended operating humidity range: 10 to 90.00 (Fig. 2) are recommended operating humidity range: 10 to 90.00 (Fig. 2) are recommended operating humidity range: 10 to 90.00 (Fig. 2) are reco		
Security management	Identity management: Kerberos authentication: LDAP authentication: 1000 user PIN codes: optional HP and art and Kerberos authentication: Supports WIA-10 IPsec configuration Plug-in: 802.1X authentication (EAP-PEAP: 140 validated cryptographic libraries from Microsoft): Secure Erase; SSL/TLS (HTTPS): Encrypted Credentials: D with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - Blow management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed	I party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared KetAP-LS); SNMPv3; HTTPS; Certificate; Pre-Shared KetAP-LS); SNMPv3; HTTPS; Certificates; Access control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIP!) evice: Security lock slot; USB port disablement, hardware integration pocket for security solutions; Introduce Detection integrity Checking with self-lealing capability; Whitelisting - loads only known good code (DLLs, EXEs,); Security and accessable in Arcsight and Splunk SIEMs.	



¹ EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.

² Cartridges included; yields 11,000 black pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies

³ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

⁴ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115 V device.

⁵ Average color composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies.

 $^{{\}textstyle \frac{6}{2}}$ May require a firmware upgrade to be compatible, download at http://www.hp.com/go/support

⁷ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

⁸ Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type.

⁹ Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

¹⁰ eMMC is non-volatile storage; Firmware encryption (AES 128 or AES 256) of customer/job data; Secure Cryptographic Erase – Job Data; Secure Erase – Disk

¹¹ Original HP LaserJet "A" and "X" toner cartridges are also compatible with this product.

¹² Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled.